



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 49]

नई दिल्ली, बृहस्पतिवार, जनवरी 19, 2006/पौष 29, 1927

No. 49]

NEW DELHI, THURSDAY, JANUARY 19, 2006/PAUSA 29, 1927

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 19 जनवरी, 2006

का.आ. 53(अ).—केन्द्रीय सरकार, सिक्का निर्माण अधिनियम, 1906 (1906 का 3) की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, अवधारित करती है कि :—

(क) “महात्मा बसवेश्वर” के सम्मान में केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसालों में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण भी किया जाएगा, अर्थात् :—

(i) एक सौ रुपए;

(ii) पांच रुपए;

(ख) उक्त अधिनियम की धारा 6 के उपबंधों अनुसार निर्मित किए जाने वाले यथापूर्वोक्त एक सौ रुपए और पांच रुपए के अंकित मूल्य के सिक्के निम्नलिखित विमाओं, डिजाइन और धातु संरचना के अनुरूप होंगे, अर्थात् :—

| सिक्के का अंकित मूल्य | रूप और बाह्य व्यास | सिरेषनों की संख्या | धातु संरचना |
|-----------------------|--|--------------------|--|
| (1) | (2) | (3) | (4) |
| एक सौ रुपए | गोल 44 मिलीमीटर | 200 | चतुर्थक मिश्र धातु चांदी—50 प्रतिशत तांबा—40 प्रतिशत निकल—5 प्रतिशत जिंक—5 प्रतिशत |
| पांच रुपए | गोल सुरक्षा किनारों सहित 23 मिलीमीटर | — | तांबा—निकल धातु तांबा—75 प्रतिशत निकल—25 प्रतिशत |

डिजाइन

1. एक सौ रुपए

मुख्य भाग

सिक्के के मुख भाग पर केन्द्र में अशोक स्तम्भ का सिंह शीर्ष होगा जिसके नीचे “सत्यमेव जयते” इबारत अंतर्लिखित होगी, उसकी ऊपरी बाईं परिधि पर हिन्दी में “भारत” शब्द और ऊपरी दाईं परिधि पर अंग्रेजी में “INDIA” शब्द होगा। उस पर सिंह शीर्ष के नीचे अंतर्राष्ट्रीय अंकों में

अंकित मूल्य "100" भी होगा और निचली बाई परिधि पर हिन्दी में "रुपए" शब्द और निचली दाई परिधि पर अंग्रेजी में "RUPEES" शब्द होगा।

पृष्ठ भाग

सिक्के के पृष्ठ भाग पर केन्द्र में "महात्मा बसवेश्वर" की प्रतिकृति होगी और बाई ऊपरी परिधि पर हिन्दी में "महात्मा बसवेश्वर" शब्द और दाई ऊपरी परिधि पर अंग्रेजी में "MAHATMA BASVESHWARA" शब्द होंगे। प्रतिकृति के नीचे हिन्दी में "भक्ति-कायक-दासोह-समता" शब्द दर्शित होंगे।

2. पांच रुपए

मुख भाग

सिक्के के मुख भाग पर केन्द्र में अशोक स्तम्भ का सिंह शीर्ष होगा जिसके नीचे "सत्यमेव जयते" इबारत अंतर्लिखित होगी, उसकी ऊपरी बाई परिधि पर हिन्दी में "भारत" शब्द और ऊपरी दाई परिधि पर अंग्रेजी में "INDIA" शब्द होगा। इस पर अंतर्राष्ट्रीय अंकों में अंकित मूल्य "5" भी होगा और निचली बाई परिधि पर हिन्दी में "रुपए" शब्द और निचली दाई परिधि पर अंग्रेजी में "RUPEES" शब्द होगा। परिधि पर 52 मनके होंगे।

पृष्ठ भाग

सिक्के के पृष्ठ भाग पर केन्द्र में "महात्मा बसवेश्वर" की प्रतिकृति होगी और बाई ऊपरी परिधि पर हिन्दी में "महात्मा बसवेश्वर" शब्द और दाई ऊपरी परिधि पर अंग्रेजी में "MAHATMA BASVESHWARA" शब्द होंगे। प्रतिकृति के नीचे हिन्दी में "भक्ति-कायक-दासोह-समता" शब्द दर्शित होंगे। परिधि पर 52 मनके होंगे।

5 रुपए के सिक्के के लिए सुरक्षा किनारा

सिक्के का किनारा सिरेशित या उर्ध्वाधर पेषण और सुरक्षा किनारे से यंत्रनिर्मित होगा। किनारे के मध्य में रिक्त जगहों द्वारा पृथक किए हुए दो खण्डों के अन्दर की ओर डिजाइन में उथला खांचा होगा। इस डिजाइन में उभार में मनकों की शृंखला अन्तर्विष्ट होगी और प्रत्येक मनका उभार में झुकी हुई एक पंक्ति द्वारा अनुगम किए होगा। इसमें कुल 30 पंक्तियां और 30 मनके होंगे।

[फा. सं. 13/7/2004-सिक्का II(II)]

नीलम बाला कपूर, अवर सचिव

MINISTRY OF FINANCE (Department of Economic Affairs)

NOTIFICATION

New Delhi, the 19th January, 2006

S.O. 53(E).—In exercise of the powers conferred by Section 6 of the Coinage Act, 1906 (3 of 1906), the Central Government hereby determines that :—

(a) the coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government in honour of "MAHATMA BASAVESHWARA", namely :—

(i) One Hundred Rupees;

(ii) Five Rupees;

(b) the coins of the denominations of One Hundred Rupees and Five Rupees as aforesaid to be coined in accordance with the provisions of Section 6 of the said Act shall conform to the following dimensions, designs and composition, namely :—

| Denomination of the coin | Shape and outside diameter | Number of serrations | Metal Composition |
|--------------------------|---|----------------------|--|
| 1 | 2 | 3 | 4 |
| One Hundred Rupees | Circular 44 millimeters | 200 | Quaternary Alloy Silver—50% Copper—40% Nickel—5% Zinc—5% |
| Five Rupees | Circular 23 millimeters with security edges | 100 | Cupro-Nickel Alloy Copper—75% Nickel—25% |

Designs

1. One Hundred Rupees

Obverse

This face of the coin shall bear the Lion Capital of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left upper periphery with the word "भारत" in Hindi and on the right upper periphery flanked

with the word "INDIA" in English. It shall also bear the denominational value "100" in International Numerals below the Lion Capitol flanked on the left lower periphery with the word "रुपए" in Hindi and right lower periphery with the word "RUPEES" in English.

Reverse

This face of the coin shall bear the portrait of "MAHATMA BASAVESHWARA", flanked on the left upper periphery with the words "महात्मा बसवेश्वर" in Hindi, and on the right upper periphery "MAHATMA BASAVESHWARA" in English. The words "भक्ति-कायक-दासोह-समता" in Hindi shall be shown below the portrait.

2. Five Rupees

Obverse

This face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left upper periphery with the word "भारत" in Hindi and on the right upper periphery flanked with the word "INDIA" in English. It shall also bear the denominational value "5" in International Numerals below the Lion Capitol flanked on the left lower periphery with the word "रुपये" in Hindi and right lower periphery with the word "RUPEES" in English. There shall be 52 beads on the periphery.

Reverse

This face of the coin shall bear the portrait of "MAHATMA BASAVESHWARA" flanked on the left upper periphery with the words "महात्मा बसवेश्वर" in Hindi, and on the right upper periphery "MAHATMA BASAVESHWARA" in English. The words "भक्ति-कायक-दासोह-समता" in Hindi shall be shown below the portrait. There shall be 52 beads on the periphery.

Security Edge for 5 Rupees

The edge of the coin shall be milled with serrated or upright milling and security edge. At the centre of the edge there shall be shallow groove with a design inside the two sections separated by blank spaces. This design shall consist of chain of beads in relief and each bead being followed by one inclined line in relief. There shall be total 30 lines and 30 beads.

[F. No. 13/7/2004-Coin II(II)]

NEELAM BALA KAPOOR, Under Secy.